# **Mono County Community Development Department**

P.O. Box 347 Mammoth Lakes, CA 93546 (760) 924-5450 Fax 924-5458 monocounty@qnet.com

### Planning **Division**

P.O. Box 8 Bridgeport, CA 93517 (760) 932-5217 Fax 932-5246 northmono@qnet.com

REC	LAMATION PLA	N	APPLICATION #	
_	PPLICATION		DATE RECEIVED	
			FEES RECEIVED	
			BY	
			RECEIPT #	
			CHECK #	
TO BE COMPLE	TED BY APPLICANT		CASH	
NAME OF APPL	ICANT/AGENT			
ADDRESS				
(5	Street, Box #)	(City)	(State)	(Zip)
TELEPHONE #				
NAME OF OWN	ER, IF OTHER THAN A	APPLICANT		
ADDRESS				
(8	Street, Box #)	(City)	(State)	(Zip)
TELEPHONE #		,		
DESCRIPTION (	OF PROPERTY			
Assessor's Parce	el Number(s)		<u> </u>	
General Plan De	esignation		Zoning	
	D LAND USE: Applinglete or inadequate p			draft Reclamation Plan. cessing.

individed empower action	IFY UNDER PENALTY OF PERJURY that I am: $\square$ legal owner(s) all owners must sign as their names appear on the deed to the latered to sign for the corporation, or $\square$ owner's legal agent having (a notarized "Power of Attorney" document must accompany the FOREGOING IS TRUE AND CORRECT.	and), $\square$ corporate officer(s) Power of Attorney for this
	Signature	Date
	Signature	Date
	RECLAMATION PLAN CHECKLIS	Т
Reclam	the following information may delay the processing of a Reclamatic ation Plans should be submitted at the time of application submitt tions shall contain the following:	* *
<ul><li>Project</li><li>Declar</li><li>study</li><li>Draft</li><li>Finant</li></ul>	lete Reclamation Plan & Reclamation Plan Checklist of processing deposit of \$930.00, environmental processing deposit ration \$890.00 and an Environmental Impact Report (EIR) \$890.0).  Reclamation Plan cial Assurance estimate by a qualified professional late site plan for the mining and reclamation phase of project	
RECLA	MATION PLAN REQUIREMENTS	
Develop reclama	rface Mining and Reclamation Act of 1975 (SMARA) and Mono Court oment Code (MCZDC) Chapter 19.60, Reclamation, provide standar ation of resource development activities in Mono County. All Reclamations shall conform to applicable verifiable standards.	rds and procedures for
	page numbers from the draft Reclamation Plan where the followin oment Code (MCZDC) section 19.60.050 F Reclamation standards l	
page #	<b>Wildlife Habitat</b> (MCZDC 19.60.050 F 1) Wildlife and wildlife hab in accordance with the following standards:	itat shall be protected
	Rare, threatened or endangered species or species of special conce California Department of Fish and Game, U.S. Forest Service, Bur Management, or the U.S. Fish and Wildlife Service, and their resp conserved as prescribed by the federal Endangered Species Act of 1531, and the California Endangered Species Act, Fish and Game seq. If avoidance cannot be achieved through the available altern be proposed in accordance with the rules and regulations of the CFish and Game, U.S. Forest Service, Bureau of Land Management Wildlife Service, the U.S. Army Corps of Engineers and other applications.	reau of Land ective habitat shall be 1973, 16 U.S.C. section Code section 1900, et atives, mitigation shall California Department of t, the U.S. Fish and
	Wildlife habitat shall be established on disturbed lands in a condi	tion similar to or better

different habitat type than that which existed prior to disturbance.

than that which existed before the lands were disturbed, unless the proposed end use precludes its use as wildlife habitat or the approved reclamation plan establishes a


Wetland habitat shall be avoided. Any wetland habitat impacted as a consequence of resource development activities shall be mitigated at a minimum of a one to one ratio for wetland habitat acreage and wetland habitat value.

### page # Backfilling, Regrading, Slope Stability and Recontouring (MCZDC 19.60.050 F 2) Backfilling, regrading, slope stabilization, and recontouring shall conform with the following standards Where backfilling is proposed for urban uses (e.g. roads, building sites, or other improvements sensitive to settlement), the fill material shall be compacted in accordance with the Uniform Building Code, the Mono County Grading Ordinance, or other methods approved by the County as appropriate for the approved end use. Where backfilling is required for resource conservation purposes (e.g. agriculture, fish and wildlife habitat, and wildland conservation), fill material shall be backfilled to the standards required for the resource conservation use involved. Piles or dumps of waste material, such as mining waste, shall be stockpiled in such a manner as to facilitate phased reclamation. They shall be segregated from topsoil and topsoil substitutes or growth media salvaged for use in reclamation. Final reclaimed fill slopes, including permanent piles or dumps of mine waste rock and overburden, shall not exceed 2:1 (horizontal:vertical), except where site-specific geologic and engineering analyses demonstrate that the proposed final slope will have a minimum slope stability factor of safety that is suitable for the approved end use, and when the proposed final slope can be successfully revegetated. At closure, all fill slopes, including permanent piles or dumps of mine waste and overburden, shall conform with the surrounding topography and/or approved end use. Cut slopes, including final highwalls and quarry faces, shall have a minimum slope stability factor of safety that is suitable for the proposed end use and that conforms with the surrounding topography and/or approved end use. Permanent placement of piles or dumps of waste material, such as mining waste and overburden, shall not occur within wetlands unless mitigation accepted by the lead agency has been approved to offset wetland impacts and/or losses.

**Revegetation** (MCZDC 19.650.050 F 3) Revegetation shall be part of the approved plan, unless it is not consistent with the approved end use.

page #

A vegetative cover suitable for the approved end use and capable of self-regeneration without continued dependence on irrigation, soil amendments or fertilizer shall be established on disturbed lands unless an artificially maintained landscape is consistent with the approved reclamation plan. Vegetative cover-density and species-richness shall be, where appropriate, sufficient to stabilize the surface against effects of long-term erosion and shall be similar to naturally occurring habitats in the surrounding area. The vegetative density, cover and species-richness of naturally occurring habitats shall be documented in baseline studies carried out prior to the initiation of resource development activities.



Protection measures, such as fencing of revegetated areas and/or the placement of cages over individual plants, shall be used in areas where grazing, trampling, herbivory, or other causes threaten the success of the proposed revegetation. Fencing shall be maintained until revegetation efforts are successfully completed and the County authorizes removal.

Success of revegetation shall be judged based upon the effectiveness of the vegetation for the approved end use, and by comparing the quantified measures of vegetative cover, density, and species-richness of the reclaimed lands to similar parameters of naturally occurring vegetation in the area. Either baseline data or data from nearby reference areas may be used as the standard for comparison. Quantitative standards for success and the location(s) of the reference area(s) shall be set forth in the approved reclamation plan. Comparisons shall be made until performance standards are met provided that, during the last two years, there has been no human intervention, including for example, irrigation, fertilization, or weeding. Standards for success shall be based on expected local recovery rates. Valid sampling techniques for measuring success shall be specified in the approved reclamation plan. Sample sizes must be sufficient to produce at least an 80 percent confidence level.

## Drainage, Diversion Structures, Waterways and Erosion Control (MCZDC 19.60.050 F page # Reclamation activities shall be conducted to protect on-site and downstream beneficial uses of water in accordance with the Porter-Cologne Water Quality Control Act, Water Code Section 13000 et. seq., and the Federal Clean Water Act, 33 U.S.C. Section 1251 et. The quality of water, recharge potential, and storage capacity of groundwater aquifers shall not be diminished, except as allowed in the approved reclamation plan. Erosion and sedimentation shall be controlled during all phases of construction, operation, reclamation, and closure of an operation to minimize siltation of lakes and watercourses, as required by the Regional Water Quality Control Board, the State Water Resources Control Board, and the Mono County Grading Ordinance. Surface runoff and drainage shall be controlled by berms, silt fences, sediment ponds, revegetation, hav bales, or other erosion control measures, to ensure that surrounding land and water resources are protected from erosion, gullying, sedimentation, and contamination. Erosion control methods shall be designed to handle runoff from not less than the 20 year/1 hour intensity storm event. Where natural drainages are covered, restricted, rerouted or otherwise impacted, mitigating alternatives shall be proposed and specifically approved in the reclamation

When stream diversions are required, they shall be constructed in accordance with:

plan to assure that runoff shall not cause increased erosion or sedimentation.

- 1. Applicable stream and lake alteration agreements between the operator and the Department of Fish and Game; and
- 2. The requirements of the Federal Clean Water Act, Sections 301 (33 U.S.C. Section 1311) and 404 (33 U.S.C. Section 1344) and/or section 10 of the Rivers and Harbors Act.

	When no longer needed to achieve the purpose for which they were authorized, all temporary stream channel diversions shall be removed and the affected land reclaimed.
page #	<b>Other Agricultural Land</b> (MCZDC 19.60.050 F 6) The following standards shall apply to agricultural lands, other than prime agricultural lands, when the approved end use is agriculture.
	In addition to the standards for topsoil salvage, maintenance, and redistribution, non-prime agricultural lands shall be reclaimed so as to be capable of sustaining economically viable production of crops commonly grown in the surrounding areas.
page #	Building, Structure and Equipment Removal (MCZDC 19.60.050 F 7)
	All equipment, supplies, and other materials shall be stored in designated areas (as shown in the approved reclamation plan). All waste shall be disposed of in accordance with state and local health and safety ordinances.
	All buildings, structures, and equipment shall be dismantled and removed prior to final site closure except those buildings, structures, and equipment approved in the reclamation plan as necessary for the end use.
page #	Stream Protection, Including Surface and Groundwater (MCZDC 19.60.050 F 8)
page #	Stream Protection, Including Surface and Groundwater (MCZDC 19.60.050 F 8)  Surface and groundwater shall be protected from siltation and pollutants which may diminish water quality as required by the Federal Clean Water Act, sections 301 et seq. (33 U.S.C. section 1311), 404 et seq. (33 U.S.C. section 1344), the Porter-Cologne Act, section 13000 et seq., the County Grading Ordinance, the Regional Water Quality Control Board or the State Water Resources Control Board.
page #	Surface and groundwater shall be protected from siltation and pollutants which may diminish water quality as required by the Federal Clean Water Act, sections 301 et seq. (33 U.S.C. section 1311), 404 et seq. (33 U.S.C. section 1344), the Porter-Cologne Act, section 13000 et seq., the County Grading Ordinance, the Regional Water Quality Control
page #	Surface and groundwater shall be protected from siltation and pollutants which may diminish water quality as required by the Federal Clean Water Act, sections 301 et seq. (33 U.S.C. section 1311), 404 et seq. (33 U.S.C. section 1344), the Porter-Cologne Act, section 13000 et seq., the County Grading Ordinance, the Regional Water Quality Control Board or the State Water Resources Control Board.  In-stream surface mining operations shall be conducted in compliance with Section 1xx3 of the California Fish and Game Code, section 404 of the Clean Water Act, and section 10

page #	<b>Topsoils Salvage, Maintenance and Redistribution</b> (MCZDC 19.60.050 F 9) When the approved reclamation plan calls for revegetation or cultivation of disturbed lands, the following performance standards shall apply to topsoil salvage, maintenance, and redistribution activities:
	All salvageable topsoil suitable for revegetation shall be removed as a separate layer from areas to be disturbed. Topsoil and vegetation removal shall not precede development activities by more than one year, unless a longer time period is approved by the County.
	Topsoil resources shall be mapped prior to stripping and the location of topsoil stockpiles shall be shown on a map in the reclamation plan. If the amount of topsoil needed to cover all surfaces to be revegetated is not available on-site, other suitable material capable of sustaining vegetation (such as subsoil) shall be removed as a separate layer for use as a suitable growth media. Topsoil and suitable growth media shall be maintained in separate stockpiles. Test plots may be required to determine the suitability of growth media for revegetation purposes.
	Soil salvage operations and phases of reclamation shall be carried out in accordance with a schedule that: 1) is set forth in the approved reclamation plan; 2) minimizes the area disturbed; and 3) is designed to achieve maximum revegetation success allowable under the mining plan.
	Topsoil and suitable growth media shall be used to phase reclamation as soon as can be accommodated by the operations schedule presented in the approved reclamation plan. Topsoil and suitable growth media that cannot be utilized immediately for reclamation shall be stockpiled in an area where it will not be disturbed until needed for reclamation. Topsoil and suitable growth media stockpiles shall be clearly identified to distinguish them from waste dumps. Topsoil and suitable growth media stockpiles shall be planted with a vegetative cover or shall be protected by other equally effective measures to prevent water and wind erosion and to discourage weeds. Relocation of topsoil or suitable growth media stockpiles for purposes other than reclamation shall require prior written approval from the County.
	Topsoil and suitable growth media shall be redistributed in a manner that results in a stable, uniform thickness consistent with the approved end use, site configuration, and drainage patterns.
page #	Tailing and Waste Management (MCZDC 19.60.050 F 10)
	State Water Resources Control Board mine waste disposal regulations in Article 7 of Chapter 15 of Title 23, California Code of Regulations, shall govern mine waste and tailings, and mine waste disposal units shall be reclaimed in conformance with this article.
	Geothermal drilling waste and cuttings shall be disposed of in a manner approved by the Lahontan Regional Water Quality Control Board.
page #	Closure of Surface Openings (if applicable see MCZDC 19.60.050 F 11 a, b, & c)

page #	Prime Agriculture Land Reclamation (if applicable see MCZDC 19.60.050 F 5 a, b, c, &
	(d)